



METAL PIECHOWICE Sp. z o.o. Sp. k.

Pakoszowska 1A 58-573 Piechowice

Tel.: + 48 75 7548140 Fax: + 48 75 7548146

Your own garden means unlimited opportunities

Spruce wood

The advantages include a low tendency to warp and expand or shrink with changes in moisture, and most often the wood is uniform in colour. These advantages make the material a popular choice in manufacturing. We select a suitable quality of the material so it conforms with all standards.

Collar hinges

Provided with 4 heavy-duty, galvanized hinges, the collar rests securely and directly on the pallet or another collar below it.

Plank dimensions

Outer length: any
Outer width: any
Outer height: 197 mm
Planks planed and chamfered
all round
Brand-new product

IPPC mark

The material is IPPC-certified by the Łukasiewicz Wood Technology Institute (Instytut Technologii Drewna) in Poznań, Poland. The IPPC certification confirms that the technical and organisational conditions of the manufacturer ensure compliance of the production of collars with the EU phytosanitary regulations.

nexpensive plant plots made with our wooden collars



Preserve the planks with a wood sealer / coating for wood.

Remove the packaging materials from the collars.



Align the hinges and secure them with the wire. Use a hammer and drive in the wire all the way in.



Put on the ground the collars with the hinges directed toward the bottom.

Use a hammer and drive in the hinges into the ground to ensure stability.



Line the collar interior with plastic film before filling with soil.

Stack the collars to the height you need.

